

# RM Curtis & Co Ltd Product Specification

Product Information			
Product name	Mixed Fruit with Peel		
Product code	803173		
Product description	Mixed Fruit with Peel		
Legal name	A mix of raisins, sultanas, currants and cut sweetened citrus peel		
Brand	Curtis		
Pack size	4x3kg		

Head Office Contact Details		
RM Curtis & Co Ltd	Telephone 02072 740 717	
95 Camberwell Station Road	Fax 02077 371 827	
London	Email Sales@rmcurtis.co.uk	
SE5 9JJ	www.rmcurtis.co.uk	

Technical Contact		
Name	Florina Brooks	
Position	Head of Technical & QA	
Direct line	01787 273 811	
Mobile 07919 561 652		
Email florina.brooks@rmcurtis.co.uk		

Quality Contact		
Name	Florina Brooks	
Position	Head of Technical & QA	
Direct line	0 1787 273811	
Mobile	0 7919 561652	
Email	florina.brooks@rmcurtis.co.uk	

Specifications Contact		
Name	Aylin Vatansever/ Mai Makinson-Yau	
Position	Specifications Technologists	
Direct line 0 1787 273386; 07917 885291		
aylin.vatansever@rmcurtis.co.uk;		
Email Mai.Makinson-Yau@rmcurtis.co.uk		

Composition Table				
Component name	% In final product	Grade	Country of origin	Additive or processing function
Raisins	30		Turkey	
Compound ingredients:	Raisins, Sunflo	l wer oil		
Sultanas	30		Turkey	
Compound ingredients:	Sultanas, Sunfl	ower oil		
Currants	30		Greece	
Compound ingredients:	Currants, Sunfl	ower oil	I	I
Mixed peel	10		Glucose syrup (Italy), Orange peel (Italy), Lemon peel (Italy), Sugar (Italy, France), Acidity regulator: Citric acid (Austria, Belgium), Preservative: SULPHUR DIOXIDE (Italy)	
Compound ingredients:	Glucose syrup, (	Orange peel, Lemon peel, Suga	r, Acidity regulator: Citric acid, Preservativ	ve: <b>Sulphur Dioxide</b>
Compound ingredients:				L
Compound ingredients:				
Compound ingredients:				
Compound ingredients:				L
Compound ingredients:				
Compound ingredients:				
Compound ingredients:				
Compound ingredients:				
Compound ingredients:			<u> </u>	
Compound ingredients:				
		James disease D	oclaration	
Raisins (30%) (Raisins, Sunflow	er oil). Sultanas (	Ingredient De 30%) (Sultanas, Sunflower oi	claration  I), Currants (30%) (Currants, Sunflower	oil). Mixed peel (10%) (Glucose
syrup, Orange peel, Lemon pee				

Please note: parameters are not applicable if shaded

Additive Table				
E-number	Name	Function	Amount (mg/kg)	
E330	Citric Acid	Acidity Regulator		
E220	Sulphur Dioxide	Preservative		

Allergen Table				
Allergens	Contains	May contain	Does not contain	
Cereals containing gluten*				
Crustaceans and products thereof				
Eggs and products thereof				
Fish and products thereof				
Peanuts and products thereof				
Soybeans and products thereof				
Milk and products thereof				
Nuts**				
Celery and products thereof				
Mustard and products thereof				
Sesame seeds and products thereof				
Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg				
Lupin and products thereof				
Molluscs and products thereof				

<sup>\*</sup>Namely: Wheat, Rye, Barley, Oats, Spelt, Kamut or their hybridised strains, and products thereof

<sup>&#</sup>x27;Does not contain' indicates that the allergen is not intentionally present as an ingredient and there is no probable risk of contamination.

	Dietary Suitability	
Dietary Principals	Suitable	Certified
Diabetics	No	No
Vegetarian	Yes	No
Vegan	Yes	No
Kosher	Yes	No
Halal	Yes	No
Coeliac	Yes	No
Organic	No	No
RSPO	n/a	n/a

Please note: parameters are not applicable if shaded

**Nutritional Information** 

<sup>\*\*</sup>Namely: Almonds (Amygdalus communis L.), Hazelnuts (Corylus avellana), Walnuts (Juglans regia), Cashews (Anacardium occidentale), Pecan nuts (Carya illinoinensis (Wangenh.) K. Koch), Brazil nuts (Bertholletia excelsa), Pistachio nuts (Pistacia vera), Macadamia or Queensland nuts (Macadamia ternifolia) and products thereof

<sup>&#</sup>x27;Contains' indicates that the allergen is intentionally present as an ingredient.

<sup>&#</sup>x27;May contain' indicates a risk of contamination by an allergen not intentionally present as an ingredient.

Parameter	Typical values per 100g	Source
Energy (kJ)	1294	Calculated
Energy (kcal)	309	Calculated
Protein (g)	2.9	Supplier analysis and calculation
Carbohydrates (g)	68.9	Supplier analysis and calculation
Starch (g)		
Sugar (g)	65.6	Supplier analysis and calculation
Fat (g)	1.5	Supplier analysis and calculation
Saturates (g)	0.4	Supplier analysis and calculation
Mono-unsaturates (g)		
Poly-unsaturates (g)		
Fibre (g)	4.4	Supplier analysis and calculation
Sodium (mg)	17.67	Supplier analysis and calculation
Sodium (g)	0.02	Calculated
Salt (mg)	44.18	Calculated
Salt (g)	0.04	Calculated

## **Irradiated Material**

In compliance with directive 1999/2/EC of the European Parliament and of the Council of 22 February 1999 and all subsequent amendments on the approximation of the laws of the Member States concerning foods and food ingredients treated with ionising radiation, we confirm that this product has not been treated with ionising radiation and nor does it contain ingredients that have been treated with ionising radiation.

## **Genetically Modified Organisms**

In compliance with regulation (EC) No 1830/2003 of the European Parliament and of the Council of 22 September 2003 and all subsequent amendments concerning the traceability and labelling of genetically modified organisms and the traceability of food and feed products produced from genetically modified organisms, we confirm the following:

This product does not consist of and nor does it contain Genetically Modified Organisms.

This product, including all ingredients, has not been produced from Genetically Modified Organism.

Genetically Modified Organisms have not been used as processing aids or used in connection with the production of this product or any of its ingredients.

Please note: parameters are not applicable if shaded

**Organoleptic parameters** 

Flavour	Characteristic of the fruits and citrus peel, free from objectionable foreign flavours	
Aroma	Characteristic of the fruit and citrus peel, free from objectionable foreign odours	
Typical profile descriptors	Sweet, fruity	
Appearance (including colour)	An assortment of light to dark brown and blue/black berries of varying sizes and wrinkled surfaces, mixed with dices of orange and yellow sweetened citrus peel	
Texture	Soft to firm	

Size	Target	Max or range	Sample size
Length(mm)			
Width(mm)			
Height(mm)			
Diameter(mm)			
Whole			
Pieces			
Ground/fine			
Under or over sized pieces			
Size count		*	per 100g
Retained on sieve size(mm)			
To pass through sieve size(mm)			
Any additional size crite	ria - detail he	low	

<sup>\*</sup>Berry count (per 100g) - Sultanas and raisins (201-320), Currants (400-600)

Material Defects	Target	Max or range	Sample size
Discoloured	<10%	10%	% by weight
Rotten/mouldy	<1%	1%	% by weight
Broken or incomplete			
Mechanically damaged or bruised	<1.5%	1.5%	% by weight
Infestation - dead			
Evidence of insect damage			
Under developed	<1.5%	1.5%	% by weight
Rancid/bitter/other undesirable flavours	<1%	1%	% by weight
Soft/rubbery/hard or other undesirable textures	<1%	1%	% by weight
Rancid/musky or other undesirable odours	<1%	1%	% by weight
Over roasted/burnt			
Shrivelled			
Sugared berries	*	*	% by weight
Peduncles and part peduncles			
Residual free syrup			
Any additional material	defects - detail	below	

\*Sugared berries before May <2%; after May <4% max.

Please note: parameters are not applicable if shaded

Foreign bodies and contaminants intrinsic to the product	Target	Max or range	Sample size
Total EVM	<1 pc	1 pc	1 kg
Pips/seeds/pits and fragments thereof	<5%	5%	% by weight
Skin			
Stalk >10mm	<2 pcs	2 pcs	12.5kg
Stalk <10mm	<4 pcs	4 pcs	12.5kg
Total stalk			
Capstems	<5%	5%	% by weight
Leaves			
Septa			
Shell and shell fragments			
Any additional intrinsic foreign bodies - detail below			

Foreign bodies and contaminants extrinsic to the product	Target	Max or range	Sample size
Dust and grit	<0.01%	0.01%	% by weight
Mineral stones >2mm			
Mineral stones <2mm			
Total mineral stones	<3	3	per tonne
Any additional extrinsic foreign bodies - detail below			

In all cases, parameters expressed as a percentage shall be taken as representative of a production batch.



Please note: parameters are not applicable if shaded

Microbiological Standards				
Criteria	Test method	Test frequency	Target	Maximum acceptable value
Aerobic Colony Count	BS EN ISO 4833:2003	Annual	<10,000 cfu/g	50,000 cfu/g
Enterobacteriaceae	BS ISO 21528-2:2004	Annual	<10 cfu/g	100 cfu/g
E. Coli	BS ISO 16649-1:2001	Annual	<10 cfu/g	10 cfu/g
Salmonella Spp.	EN ISO 6579-1:2017	Annual	Absent in 25g	Absent in 25g
Yeast	BS 21527-1.:2008 or BS 4285-3	Annual	<1,000 cfu/g	10,000 cfu/g
Mould	BS 21527-1.:2008 or BS 4285-3	Annual	<20,000 cfu/g	50,000 cfu/g
Coliforms	BS ISO 4832:2006			
Coagulase Positive Staphylococci	BS EN ISO 6888-1:1999			
Bacillus Cereus	Based on Practical Food Microbiology 3rd edition 2003 or ISO 5763-11			
E. Coli 0157	EN ISO 16654-2001			

Chemical Parameters				
Criteria	Test frequency	Testing method	Maximum or range	
Moisture %	Annual	Oven or vacuum method	12 - 16	
Water activity (aW) %				
Free fatty acids (FFA) % in oleic		ISO 660:2009		
Peroxide value (PV) meq/kg		ISO 3960:2007		
рН		Electrometric method		
Brix				
% Solids				
Heavy metals - Arsenic	RM tested annually	Atomic fluorescence		
Heavy metals - Cadmium	RM tested annually	FAAS or ICP-OES	Compliant with UK and	
Heavy metals - Lead	RM tested annually	FAAS or ICP-OES		
Heavy metals - Mercury	RM tested annually	Atomic fluorescence	EU legislative limits	
Pesticides	RM tested annually	Mass spectroscopy		
Ochratoxin A (ppb)	RM tested annually	HPLC Fluorescence Detection	8	
Aflatoxin B1 (ppb)	RM tested annually	HPLC Fluorescence Detection	2	
Total aflatoxins (ppb)	RM tested annually	HPLC Fluorescence Detection	4	
Any additional chemical parameters - detail below				

Product is in compliance with Commision Regulations: (EC) No 1881/2006 of 19 December 2006 setting maximum levels for certain contaminants in foodstuffs and its amendments; Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin.

## Packaging Packaging Format Description 4x3kg of product in preprinted film

Primary Packaging		
Food contact packaging material type	Plastic	
Colour	Preprinted	
Method of closure	Heat sealed	
Capacity per 'inner'	g 3 kg	
Number of 'inners' per outer	4	

Secondary Packaging	
Outer case/carton/bag packaging material type	Cardboard
Colour	Brown
Method of closure	Taped
Capacity per 'outer' (kg)	12

Barcode		
Consumer unit barcode	5013803803186	
Trade unit barcode	n/a	
Outer trade unit barcode	05013803803179	

The product shall be distributed in clean undamaged packaging. All primary packaging materials shall be food grade and of sufficient durability to ensure the integrity of the product. In compliance with Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 and all subsequent amendments, materials and articles in contact with food shall not transfer their constituents to food in quantities which could endanger human health, bring about an unacceptable change in the composition of the food or bring about a deterioration in the organoleptic characteristics thereof. The labelling, advertising and presentation of a material or article shall not mislead consumers.

## Shelf Life and Storage Provide a description of the storage conditions required

Cool dry ambient conditions away from direct sunlight and strong odours. All food products are prone to infestation and it is essential to check regularly during prolonged storage. Once opened, store in sealed containers and use within one month.

Shelf life from production date (months)	12 months or to BBE date indicated on package markings or release certificate
Minimum shelf life on delivery (months)	4
Recommended storage temperature range (°C)	4-15
Recommended relative humidity range (%)	60-70

It is the responsibility of the customer to ensure appropriate storage conditions are maintained and no concern or complaint will be considered after 28 days from the point of delivery.

Please note: parameters are not applicable if shaded

### **Maximum Durability**

This is a long-life ambient product and there is generally no food safety concern associated with the use of this product beyond the recommended best before end date given. As with all food and beverage products, the organoleptic characteristics may change over time. The organoleptic changes that occur during storage will be influenced by the storage conditions that the product is subject to and in light of the fact that these conditions are beyond the control of RM Curtis, it is our position that:

A decision to use the products supplied beyond the best before end date stated may be taken at the sole discretion of the customer.

RM Curtis is not in a position to advise customers on a decision to use the products supplied beyond the best before date stated, and any such decision should be made by the customer.

RM Curtis accepts no liability or responsibility for loss or damage resulting from the use of goods beyond the best before end date stated.

	Validity			
Version Number 4				
	Approval on	behalf of RM Curtis & Co	Ltd	
Specification	Prepared by		Approved version 4 by	
Name	Aylin Vatansever		Aylin Vatansever	
Position	Specifications technologist		Specifications technologist	
Date	27/09/2022		27/09/2022	

The specification approval and countersign feature is an internal tool which facilitates the monitoring and continuous improvement of the documents held. A specification shall be considered valid provided this is indicated by at least one representative of RM Curtis & Co Ltd. The validity of a specification is not contingent on secondary approval.

	Approval on behalf of the customer / Supplier		
Name			
Position			
Date			

This specification shall be considered to be acceptable to all parties in the event that no dispute is raised within a 14 day period of submission.

	Document Control	
From time to time, updates and improvements may be made to the formatting of the specification template. These updates may include logos, contact details, syntax and other features which do not influence product quality or the specification agreement between RM Curtis & Co Ltd and its customers. Any such changes will not result in a new specification version number, but may be reflected in the document control parameters detailed below.		
Control document reference	QADOC.119	
Version number	4	
Date issued	14/04/2021	
Author	Edita Critoph	
Authorised	Florina Brooks	