



# Ingham Paper & Packaging

(a division of Kendon Packaging Group Plc)

Innova Way,  
Innova Science Park,  
Enfield, EN3 7FL

Telephone: 01992 702475

Fax: 01992 702489

Email: Sales@Inghampaper.co.uk

DATE: 13.03.2015

## SPECIFICATION SHEET

### MULTIBAKE - DOUBLE SIDED BLEACHED SILICONE GREASEPROOF 41GM<sup>2</sup>

Multibake is a non-opaque two-side silicone treated high density paper with excellent heat stability, manufactured from virgin fibre with high chemical purity.

Sourced from sustainable forests.

#### **Typical end-use:**

An environmentally-friendly reusable baking paper. Also suitable for cooking and frying.

#### **Approvals:**

The mill is certified according to ISO 9001 and ISO 22000:2005.

All raw materials and additives used in production comply with main food regulations.

Multibake is approved for direct contact with food by the FDA (USA), BGVV (Germany) and complies with Regulation (EC) 1935/2004 on materials and articles in contact with food.

PROPERTY	TEST METHOD	UNIT	TYPICAL VALUE
Grammage (Tolerance $\pm 5\%$ )	ISO 536-1995 (E)	$g/m^2$	41
Bulking thickness	ISO 534:2005 (E)	$\mu m$	44
Brightness	ISO 2470:1999 (E)	%	72
Tearing resistance	ISO 1974:1999 (E)	$mN$	MD 200 CD 220
Tear resistance after heating(200°C/20 min)	ISO 1974:1990 (E)	$mN$	MD 135
Water absorptiveness – Cobb60	ISO 535:1991 (E)	$g/m^2$	TS 12

## OVERALL MIGRATION

Typical values according to analytical results from INNVENTIA:

Determination of migration from paper using modified polyphenylene oxide (MPPO) was performed according to EN 14338. Quantification by GC/MS.

SIMULANT	TEST CONDITIONS	RESULTS (mg/dm <sup>2</sup> )
MPPO	0.5 hours, 220°C	0.02
MPPO	10 min, 250°C	0.08

Directors: J. Proctor (Managing), E.A. Kendon, A.J. Kendon, F. Kendon

Subject to Conditions and Terms of Paper Trade Customs.

Goods are supplied according to our normal Terms and Conditions of Sale which are available upon request.

Registered Office: Innova Way, Innova park, Enfield, EN3 7FL

Registered in England

Company Registration No. 279823